


TForce 550 SE Motherboard



- Socket AM2
- Supports AMD Athlon 64 X2/64/FX/Sempron Processors
- Hyper Transport Technology up to 2G
- Supports AMD Cool'nQuiet Technology
- Supports BIO-Remote 2 Technology
- Supports Charger Booster Technology

TForce 550 SE Specification

CPU SUPPORT	<p>AMD Athlon™ X2 Dual-Core Processor AMD Athlon™ 64 X2 Dual-Core Processor AMD Athlon™ 64 FX Processor AMD Athlon™ 64 Processor AMD Sempron™ Processor</p>
HT	Support HT 2G
MEMORY	<p>Support Dual Channel DDR2 533/667/800 MHz 4 x DDR2 DIMM Memory Slot Max. Supports up to 8GB Memory</p>
STORAGE	<p>4 x SATA II Connector 1 x IDE Connector Support SATA RAID: 0,1,0+1</p>
LAN	1 x Marvell 88E1116 - 10/100/1000 PHY
AUDIO CODEC	Realtek ALC888 8+2 Channel HD Audio
USB	<p>6 x USB 2.0 Port 2 x USB 2.0 Header</p>

EXPANSION SLOT	<ul style="list-style-type: none"> 1 x PCI-E x16 Slot 2 x PCI-E x1 Slot 4 x PCI Slot
REAR I/O	<ul style="list-style-type: none"> 1 x PS/2 Mouse 1 x PS/2 Keyboard 6 x USB 2.0 Port 1 x COM Port 1 x LAN Port 6 x Audio Jacks
INTERNAL I/O	<ul style="list-style-type: none"> 2 x USB 2.0 Header 4 x SATA II Connector (3Gb/s) 1 x IDE Connector 1 x Floppy Connector 1 x Front Audio Header 1 x Front Panel Header 1 x CD-IN Header 1 x S/PDIF-Out Header 1 x CPU Fan Connector 1 x North Bridge FAN Header 2 x System Fan Connector 1 x Printer Port Header
DIMENSION	ATX Form Factor Dimension: 21.8 cm X 30.5 cm (W x L)
OS SUPPORT	Supports Windows 2000 / XP / Vista
ACCESSORIES	<ul style="list-style-type: none"> 1 x IDE Cable 1 x FDD Cable 1 x SATA Cable 1 x SATA Power Cable 1 x I/O Shield 1 x Fully Setup Driver CD 1 x User Manual 1 x Package Bag
FEATURES	<ul style="list-style-type: none"> Supports Solid capacitor Supports Clean-Tone Supports O.N.E Supports C.R.P Supports S.R.S Supports M.I.T Supports T-Power Supports Rapid Switch Supports Rapid Debug
TForce 550 SE OVERVIEW	

*The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!

BIOSTAR