

H81MHV3L Motherboard



- Support the Intel 4th generation Core i7 and Core i5 processors in the 1150 package
- Intel H81 single chip architecture
- Support 2-DIMM DDR3-1600/1333 up to 16G maximum capacity
- Supports BIO-Remote 2 Technology
- Supports Charger Booster Technology
- Intel Smart Connect Technology
- Intel Rapid Start Technology

H81MHV3L Specifcation

| CPU SUPPORT | Intel® Core™ i7 LGA 1150 Processor Intel® Core™ i5 LGA 1150 Processor Intel® Core™ i3 LGA 1150 Processor Intel® Pentium® LGA 1150 Processor Maximum CPU TDP (Thermal Design Power): 95Watt |
|------------------|--|
| MEMORY | Support Dual Channel DDR3 1600/1333/1066 MHz 2 x DDR3 DIMM Memory Slot Max. Supports up to 16GB Memory |
| INTEGRATED VIDEO | By CPU model Supports DX11.1 |
| STORAGE | 2 x SATA III Connector 2 x SATA II Connector |
| LAN | Realtek RTL8106E - 10/100 Controller |
| AUDIO CODEC | Realtek ALC662 6-Channel HD Audio |
| USB | 2 x USB 3.0 Port 2 x USB 2.0 Port 2 x USB 2.0 Header |
| EXPANSION SLOT | 1 x PCI-E 2.0 x16 Slot 1 x PCI-E 2.0 x1 Slot |

| 1 x PS/2 Mouse 1 x PS/2 Keyboard 2 x USB 3.0 Port 2 x USB 2.0 Port 1 x HDMI Connector 1 x VGA Port 1 x LAN Port 3 x Audio Jacks |
|--|
| 2 x USB 2.0 Header 2 x SATA III Connector (6Gb/s) 2 x SATA II Connector (3Gb/s) 1 x Front Audio Header 1 x Front Panel Header 1 x CPU Fan Connector 1 x System Fan Connector 1 x COM Port Header |
| CPU / System Temperature Monitoring CPU / System Fan Monitoring Smart / Manual CPU Fan Control System Voltage Monitoring |
| Micro ATX Form Factor Dimension: 19cm x 17cm (W x L) |
| Supports Windows 7 / 8 / 8.1 / 10(x64) |
| BIO-Remote2 Smart Speed LAN Intel Rapid Start Technology Intel Smart Connect Technology |
| 2 x SATA Cable 1 x I/O Shield 1 x DVD Driver 1 x Quick Guide |
| Windows 8 Ready Supports Solid capacitor Supports Charger Booster Supports BIOS Online Update |
| |

H81MHV3L OVERVIEW

CPU-Chipset



Intel H81 chipset

The latest Intel H81 Express chipset is a single-chipset design that supports socket LGA1150 4th generation Intel® Core™ i7/i5/i3/Pentium/Celeron processors. It natively supports up to two USB 3.0 ports for up to 10 times faster transfer rates than previous USB 2.0. Intel H81 Express chipset also supported iGPU such as Intel processors with DX11 graphics allow you enjoy the higher frame rate in Gaming experience.

Audio+



HD Audio

Provides high quality sound with minimal loss of audio fidelity.

Video+



DX11.1

Direct3D 11.1 enables Direct3D 10 APIs and Direct3D 11 APIs to use one underlying rendering device. And it allows developers to achieve a high speed, fully conformant software rasterizer.

Speed+



USB 3.0

Experience Fastest data transfers at 5 Gbps with USB 3.0--the new latest connectivity standard. Built to connect easily with next-generation components and peripherals, USB 3.0 transfers data 10X faster and backward compatible with previous USB 2.0 components.



Charger Booster

Charger booster is the best and efficient charger solution for apple devices such as iPad, iPhone. Basically, Charger booster Technology is able to boost the charging time to be more efficiency and faster once any apple goods connecting to our Motherboard. With charger booster technology, you are able to charge your apple devices up to 42 % faster.



SATAIII 6Gbps

SATAIII 6Gbps provides a higher bandwidth to retrieve and transfer HD media. With this super speed data transfer, SATAIII allows an incredible data boost which is 2x faster than the SATA II.

Protection+



ESD Protection

ESD (Electrostatic Discharge) is the major factor to destroy the PC by electrical overstress (EOS) condition. ESD occurred by PC users when touch any devices connect to a PC, which may result in damage to the motherboard or parts. ESD protection is designed to protect the motherboard and equipment from damage by EOS.



USB Polyswitch

On board dedicated power fuse to help prevent USB port failure. It prevents USB Port overcurrent and safe guard your system and device lifespan.



BIOS Virus Protection

When enabled, the BIOS will protect the boot sector and partition table by halting the system and flashing a warning message whether there's an attempt to write to these areas.





OC / OV / OH Protection

OC / OV / OH Protection design detects overvoltage conditions and prevents voltage surges from spreading in real time. It also actively cuts off the overvoltage supply to protect your system.

DIY+



UEFI BIOS

Unified Extensible Firmware Interface (UEFI) is a brand new framework that provides a revolutionary interface. It is a modern clear and easy-to-use graphical user interface. The UEFI comes with a colorful easy-understand icons leads users into the setup layer directly.



Header Zone

Users can easily assemble their own computer, a simple-swap data discs and other accessories.



BIO-Remote 2

BIO-Remote2 Technology is featuring users a better Home Theater environment. Users who own either Android mobile or Apple goods are able to access and control your PC remotely; At this moment, you're smart device became a intelligent and functional remote controller; more than that, BIO-Remote2 also includes both function of mouse pad and power point presentation mode.



BIO-Flasher

BIO-Flasher is a convenient BIOS update tool. Just launch this tool and put the BIOS on USB pen driver before entering the OS. You can update your BIOS with only a few clicks without preparing an additional floppy disk or other complicated flash utility.

*The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!