

Hi-Fi B85S2G Motherboard

	-
<image/>	 Support the Intel 4th generation Core i7 and Core i5 processors in the 1150 package Intel B85 single chip architecture
	 Support 2-DIMM DDR3-1600/1333 up to 16G maximum capacity
	100% Solid Capacitors
	• BIOSTAR Hi-Fi Technology
	Built-in powerful headphone Amplifier
	Intel SBA(Small Business Advantage) Technology
	Intel Rapid Start Technology
	Intel Smart Connect Technology
	• Dual GbE LAN
Hi-Fi B85	5S2G Specifcation
CPU SUPPORT	Intel® Core [™] i7 LGA 1150 Processor Intel® Core [™] i5 LGA 1150 Processor Intel® Core [™] i3 LGA 1150 Processor Intel® Pentium® LGA 1150 Processor Maximum CPU TDP (Thermal Design Power) : 95Watt
MEMORY	Support Dual Channel DDR3 1600/1333/1066 MHz 2 x DDR3 DIMM Memory Slot Max. Supports up to 16GB Memory
INTEGRATED VIDEO	By CPU model Supports DX11.1 Supports HDCP
STORAGE	4 x SATA III Connector 2 x SATA II Connector
LAN	Realtek RTL8111G - 10/100/1000Mb/s Controller *Dual GbE
AUDIO CODEC	Realtek ALC892 8-Channel Blu-ray Audio
USB	2 x USB 3.0 Port 1 x USB 3.0 Header 2 x USB 2.0 Port 2 x USB 2.0 Header

OS SUPPORT Supports Windows 7 / BUNDLE SOFTWARE BIO-Remote2 BIO-Remote Smart Speed LAN ACCESSORIES 2 x SATA Cable 1 x I/O Shield 1 x DVD Driver 1 x User Manual FEATURES Windows 8 Compatible Supports PURO Hi-Fi Supports 100% Solid of Supports BIOS Online		
1 × PS/2 Keyboard 2 × USB 3.0 Port 2 × USB 2.0 Port 1 × HDMI Connector 1 × DVI Connector 1 × DVI Connector 1 × USB 7.0 Header 2 × LAN Port 3 × Audio JacksINTERNAL I/O1 × USB 3.0 Header 2 × USB 2.0 Header 4 × SATA III Connector 2 × SATA II Connector 2 × SATA III Connector 2 × SATA II Connector 2 × SATA III Connector 1 × Front Panel Heade 1 × CPU Fan Connector 2 × System Fan Conne 1 × CIR Header 1 × CPU Fan Connector 2 × System Fan Conne 1 × CIR Header 1 × CPU Fan Connector 2 × System Fan Conne 1 × CIR Header 1 × CPU Fan Connector 2 × System Fan Mor Smart / Manual CPU Fa System Voltage MonitDIMENSIONATX Form Factor Dime Supports Windows 7 / BUNDLE SOFTWAREBIO-Remote2 BIO-Remote Smart Speed LANACCESSORIES2 × SATA Cable 1 × I/O Shield 1 × DVD Driver 1 × User ManualFEATURESWindows 8 Compatible Supports DURO Hi-Fi Supports DURO Solia compatible Supports DURO Solia compatible Supports DURO Solia compatible Supports DURO Solia compatible Supports DURO Hi-Fi Supports DURO Solia compatible Supports DURO Hi-Fi Supports DURO Solia compatible Supports DURO So		
2 × USB 2.0 Header 4 × SATA III Connector 2 × SATA II Connector 1 × Front Audio Heade 1 × Front Panel Heade 1 × CPU Fan Connector 2 × System Fan Connector 2 × System Fan Connector 2 × System Fan Connector 2 × System Fan Connector 2 × CPU Fan Connector 2 × System Fan Connector 2 × CPU Fan Connector 2 × System Fan Connector 2 × CPU Fan Connector 2 × System Fan Connector 2 × System Fan Mor Smart / Manual CPU Fan System Voltage MonitH/W MONITORINGCPU / System Temperative CPU / System Temperative System Voltage MonitDIMENSIONATX Form Factor Dime Supports Windows 7 / BUNDLE SOFTWAREBIO-Remote2 BIO-Remote Smart Speed LANACCESSORIES2 × SATA Cable 1 × I/O Shield 1 × DVD Driver 1 × User ManualFEATURESWindows 8 Compatible Supports 100% Solid of Supports 100% Solid of Supports BIOS Online		
CPU / System Fan Mor System Voltage Monit DIMENSION ATX Form Factor Dime OS SUPPORT Supports Windows 7 / BUNDLE SOFTWARE BIO-Remote2 BIO-Remote Smart Speed LAN ACCESSORIES 2 x SATA Cable 1 x U/O Shield 1 x DVD Driver 1 x USer Manual FEATURES	or (3Gb/s) der ler er tor nector	
OS SUPPORT Supports Windows 7 / BUNDLE SOFTWARE BIO-Remote2 BIO-Remote Smart Speed LAN ACCESSORIES 2 x SATA Cable 1 x I/O Shield 1 x DVD Driver 1 x User Manual FEATURES Windows 8 Compatible Supports PURO Hi-Fi Supports 100% Solid of Supports BIOS Online	onitoring Fan Control	
BUNDLE SOFTWARE BIO-Remote2 BIO-Remote Smart Speed LAN ACCESSORIES 2 x SATA Cable 1 x I/O Shield 1 x DVD Driver 1 x User Manual Windows 8 Compatible FEATURES Windows 8 Compatible Supports PURO Hi-Fi Supports PURO Hi-Fi Supports BIOS Online Supports BIOS Online	nension: 30.5cm x 21cm (W x L)	
BIO-Remote Smart Speed LAN ACCESSORIES 2 x SATA Cable 1 x I/O Shield 1 x DVD Driver 1 x User Manual FEATURES Windows 8 Compatible Supports PURO Hi-Fi Supports 100% Solid of Supports BIOS Online	/ 8 / 8.1 / 10(x64)	
I x I/O Shield I x DVD Driver I x User Manual FEATURES Windows 8 Compatible Supports PURO Hi-Fi Supports 100% Solid of Supports BIOS Online		
Supports PURO Hi-Fi Supports 100% Solid of Supports Charger Boo Supports BIOS Online		
Hi-Fi B85S2G OVER	capacitor oster	
	Hi-Fi B85S2G OVERVIEW	
CPU-Chipset		





Audio+







Intel B85 chipset

Intel® B85 Express Chipset delivers improved performance and responsiveness. It add the Intel® Smart Response Technology and RST caching technology, B85 delivers an agile PC response for fast system boot time and application load time when used in conjunction with a SSD.

Intel LGA 1150 4th Generation Intel Core[™] Processor support

The 4th generation Intel® Core[™] processors are based on 4th generation Intel® Core[™] processor architecture, with the latest 22nm process to maximize the processor platform. Based on the new LGA 1150 socket, 4th generation Intel® Core[™] processors with graphics with DX11.1 & OCL1.2 cores , the overall performance will meet your demand.

Hi-Fi

A combination of exclusive hardware & software design including "ground-isolation circuit design", "an independent audio power", and "a built=on-board amplifier", with all these hardware features gives you the best audio quality and performance. As for software, we offer you a free bundle utility "Multi-Channel Calibration" which normally you'll find in high level sound systems; this feature allows you to auto detect your location; with a user friendly interface, you can easily adjust the volume of every speakers to make a well balanced surround sound. And of course, the built-on-board amplifier always gives you a super powerful sound comparing to other motherboards.

Blu-ray Audio

Upgrading your Audio performance in the easiest way is choosing BIOSTAR ultimate Motherboard. It does support Bluray audio DRM (compatible driver/software) and provide the higher audio output of 24 bit/ 192KHz than the 16 bit/ 48KHz from the normal MB. You will experience the high quality sound effect with pure Blu-Ray Audio.

Hi-Fi Power

Audio power is an important factor in audio quality. Most AV equipment isolates the power supply for each analog and digital signal to gather high-quality sound reproduction. Equipped with BIOSTAR Hi-Fi Power technology, it will utilize audio components with independent power design for a significant reduction in electronic noise and superb sound quality.













Hi-Fi Ground

BIOSTAR Hi-Fi Ground (Golden Line) is noise-blocking multilayer PCB design to isolates analog audio signals from digital sources. Unique PCB layout is ideal for exceptional clarity and high fidelity sound.

Hi-Fi Sound

BIOSTAR Hi-Fi series motherboards have a sampling rate of 192kHz/24-bit which delivers a high quality audio through an analog connection to your home theater system, multichannel speakers and high-end headphone. You can enjoy real Blu-ray grade high-definition sound that you've never experienced before.

Hi-Fi AMP

The built-in amplifier can drive major high-end headphones with over 100dB loads and offer wide band-width, low noise, high slew rate and low distortion audio source from front panel I/O. Gaming enthusiasts can enjoy a fuller range of dynamic sound with crisper details and less distortion.

Smart Ear

Smart EAR is a windows-based audio utility which allows you to easily adjust system volume. With its user-friendly GUI, you can also increase or decrease impedance setting (Low/High Gain) to optimize your headphone performance. You can easily enjoy high-quality and awesome sound.

Hi-Fi Resistor

Metal-oxide film resistors are made of metal oxides such as tin oxide. The electric characteristics are greater stability and reliability than regular metal film resistors when operating in an extremely broad working temperature range. This special component is used in applications with high endurance audio demands.

Hi-Fi Cap

BIOSTAR Hi-Fi series motherboards come with high quality 'Non-Polarized Electrolysis Electric audio capacitors' for each audio channel circuit. The customized audio capacitors deliver low noise, low distortion, and wide bandwidth to achieve the highest sound resolution and sound expansion. The critical component will ensure the most realistic sound effects to gaming enthusiasts.



Hi-Fi 110dB+

Embrace exceptional sound quality for the win with 110dB SNR and stylish and efficient EMI shield blocks electromagnetic interference to help provide cleaner audio. It has achieved a signal-to-noise ratio (SNR) of 110dB, yielding almost loss-less audio form rear audio connectors.

Video+









Speed+

HDMI 3D Visual

The HDMI 3D Visual provides a level of interoperability for devices designed to deliver 3D content over the HDMI connection. The latest HDMI Specification adds key enhancements to support the market requirements for bringing broadcast 3D content into the home featuring key enhancements for 3D applications including the addition of mandatory 3D formats for broadcast content.

DVI

DVI is better than VGA for LCD displays since it is digital while VGA is analog. For LCD displays, the picture is digitized pixel per pixel. Through DVI, the panel gets data for each pixel, so the picture generated in the Graphics device matches the pixels on the panel itself.

DX11.1

Direct3D 11.1 enables Direct3D 10 APIs and Direct3D 11 APIs to use one underlying rendering device. And it allows developers to achieve a high speed, fully conformant software rasterizer.

Integrated HDMI with HDCP

Onboard HDMI connector allows full video & audio support. It has industry-leading high definition video quality.



Dual GbE LAN

The primary advantage is the doubling of bandwidth which allows the network bandwidth of 1G to become that of 2G, and with two high-speed gigabit networks plus zero packet delay that provides super high data transmission efficiency. Another major advantage is "Load Balancing", it allows users to attach both network adapters to a single network. It will therefore support the aggregation "teaming" function by merging the two connections to support multiple aggregation modes. In addition, two Gigabit Ethernet lightning protection circuits reducing the probability of damage from lightning or other power surge. So if one connection is disabled the other connection will automatically kick in.

SmartSpeedLAN

SmartSpeedLAN is a free software application which monitors and manages your PC's network behavior. With user-friendly GUI, it allows you to select and prioritize different types of network traffic, including gaming, media streaming, communications or web surfing.You can also set any specific applications, choosing to prioritize or block accordingly. SmartSpeedLAN can feature automatic management options that use adaptive networking intelligence to ensure that you are getting the best online experience possible.

USB 3.0

Experience Fastest data transfers at 5 Gbps with USB 3.0--the new latest connectivity standard. Built to connect easily with next-generation components and peripherals, USB 3.0 transfers data 10X faster and backward compatible with previous USB 2.0 components.

Charger Booster

Charger booster is the best and efficient charger solution for apple devices such as iPad, iPhone. Basically, Charger booster Technology is able to boost the charging time to be more efficiency and faster once any apple goods connecting to our Motherboard. With charger booster technology, you are able to charge your apple devices up to 42 % faster.

PCle 3.0

PCIe 3.0 is the ubiquitous and general-purpose PCI Express I/O standard. At 8GT/s bit rate, the interconnect performance bandwidth is doubled over PCIe 2.0, while preserving compatibility with software and mechanical interfaces.













intel Smart Connect



intel Rapid Start



Durable+



SATAIII 6Gbps

SATAIII 6Gbps provides a higher bandwidth to retrieve and transfer HD media. With this super speed data transfer, SATAIII allows an incredible data boost which is 2x faster than the SATA II.

SRT(Intel Smart Response Technology)

Intel Smart Response Technology is an Intel Rapid Storage Technology(RST) eaching feature that improves computer system performance. It allows a user to configure computer systems with an SSD used as cache memory between the hard disk drive and system memory. This provides the advantage of having a hard disk drive(or a RAID volume) for maximum storage capacity while delivering an SSD-like overall system performance experience.

Intel Smart Connect

Smart Connect will periodically wake the computer is in sleep state, the things to check for updates and information.

Intel Rapid Start

Rapid Start is a free utility that Biostar motherboard 8 series designed simply to install. Can quickly start to make rapid system recovery from a deep sleep at about 5 seconds.

Dual DDR3-1600

It supports 2 or 4 DIMM Slots DDR3 memory that features data transfer rates of DDR3 1600/1333. The processor support 2 memory channels and setting the memory multiplier, allows selection of the channel speed. These clearly uplift the band width and boost the overall system performance.

Moistureproof of PCB

The popularity of PC usage and working environment is getting deteriorating and moist (rural, coastal, etc.). The PCB will be oxidizing easily by damp or absorbed moisture, and ionic migration or CAF (Conductive Anodic Filament) will be generated. Moisture-proof PCB meets high density and high reliability requirements for moisture proof.



100% Solid Caps

With armor-plated Biostar Technology, all capacitors are placed with 100% solid capacitors that have a lasting life cycle, durability and stability for crucial components.

Protection+

Supports Intel^{*} Small Business Advantage

Intel[®] Small Business Advantage 2.0

Intel® Small Business Advantage 2.0 (Intel® SBA2.0) is a new computing platform, consisting of hardware, software, and firmware for small businesses without a managed network. Once configured, the technology will continually monitors your security and alarms you if it's been compromised viruses or malware. It will also automatically back-up your company's data and manager routine maintenance tasks.

Intel SBA2.0 also includes five main applications : Software Monitor Software Monitor helps keep critical security software running by monitoring it at the hardware level and alerting the business if there has been an attack. The Software Monitor also maintains an event log that shows status information and any errors generated, so businesses can know what happened.



Data Backup and Restore Data Backup and Restore provides reliable after-hours backup of critical data using the local maintenance timer to power on the computer. Data can be backed up to a designated location.



USB Blocker The optional USB Blocker lets businesses control access to their infrastructure, preventing unauthorized USB devices or file imports or exports on company computers.



PC Health Center PC Health Center can schedule and do PC maintenance tasks after hours, without interrupting employee work time. Tasks such as updating the operating system, deleting temporary internet files, and running disk defragmentation can be done at night. PC Health Center works even if the computer is powered-down, as long as it is

plugged in.



Energy SaverWith the optional Energy Saver, businesses can save energy by scheduling PCs to power-down at the end of the day and turn on before the work day begins - ready for

employees as they arrive in the morning.



New EnhancementsImport/Export, Enhancements with

Windows 8, Easier Customizations



Intel Appup for ResellersAn app store built for business, featuring Intel® SBA enhanced apps.







BIOS Virus Protection





ESD Protection

ESD (Electrostatic Discharge) is the major factor to destroy the PC by electrical overstress (EOS) condition. ESD occurred by PC users when touch any devices connect to a PC, which may result in damage to the motherboard or parts. ESD protection is designed to protect the motherboard and equipment from damage by EOS.

USB Polyswitch

On board dedicated power fuse to help prevent USB port failure. It prevents USB Port overcurrent and safe guard your system and device lifespan.

NA SUC

BIOS Virus Protection

When enabled, the BIOS will protect the boot sector and partition table by halting the system and flashing a warning message whether there's an attempt to write to these areas.

OC / OV / OH Protection

OC / OV / OH Protection design detects overvoltage conditions and prevents voltage surges from spreading in real time. It also actively cuts off the overvoltage supply to protect your system.

BullGuard Internet Security (90 days FREE trial)

BullGuard Internet Security comes with the broadest line-up of internet security features on the market, including: a cutting-edge dual Antivirus engine, Online Backup for your precious files, PC Tune Up to speed up your system, a Game Mode for a seamless gaming experience, Parental Control, Firewall, Safe Browsing and many more. Make the most of your digital life with Bullguard!

DIY+

UEFI BIOS	UEFI BIOS Unified Extensible Firmware Interface (UEFI) is a brand new framework that provides a revolutionary interface. It is a modern clear and easy-to-use graphical user interface. The UEFI comes with a colorful easy-understand icons leads users into the setup layer directly.
Header Zone	Header Zone Users can easily assemble their own computer, a simple-swap data discs and other accessories.
BIOS FLASHER	BIO-Flasher BIO-Flasher is a convenient BIOS update tool. Just launch this tool and put the BIOS on USB pen driver before entering the OS. You can update your BIOS with only a few clicks without preparing an additional floppy disk or other complicated flash utility.
BIOSCREEN	BIOScreen Utility Personalize your desktop with customizable boot logo. BIOScreen is the new feature that lets you personalize and create your own style with unique, custom-made boot logo.

*The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!