

B460GTQ Motherboard



- Supports 10th Generation Intel Core $^{\text{\tiny TM}}$ Processor
- Intel B460 single chip architecture
 Supports 4-DIMM DDR4- 2133/ 2400/ 2666/ 2800/ 2933 up to 128 GB Memory
- Supports PCle M.2 (32Gb/s)Supports Intel Optane Technology
- Supports HDMI® 4K resolution
- Supports GbE LAN

Specifcation	
CPU SUPPORT	支援 10th Generation Intel® Core™ i9 處理器/Intel® Core™ i7 處理器/Intel® Core™ i5 處理器/Intel® Core™ i3 處理器/Intel® Pentium® 處理器/Intel® Celeron® 處理器in the LGA1200 package * 請瀏覽映泰網站 www.biostar.com.tw 獲得CPU的支援列表
MEMORY	支援雙通道 DDR4 2133/ 2400/ 2666/ 2800/ 2933 4 x DDR4 DIMM插槽,支援最高容量為128GBy 每根DIMM支援non-ECC 4/ 8/ 16/ 32 GB DDR4記憶體模組 Core (i9/i7)支援 DDR4 up to 2933 MHz; Core (i5/i3), Pentium and Celeron 支援 DDR4 up to 2666 MHz. * 請瀏覽映泰網站 www.biostar.com.tw 獲得記憶體的支援列表
INTEGRATED VIDEO	By CPU model Supports DX 12 Supports HDCP
STORAGE	Total 支援 2 x M.2 slots and 6 x SATA III(6Gb/s) 接頭 1 x PCIe-M2_1 插槽, with M key, type 2242/2260/2280 storage devices 支援 SATA & PCIe 3.0 x 4 mode/Intel Optane Technology 1 x PCIe-M2_2 插槽, with M key, type 2242/2260/2280 storage devices 支援 SATA & PCIe 3.0 x 4 mode/Intel Optane Technology 6 x SATA III(6Gb/s) * 當安裝SATA SSD模組於PCIE-M2_1插槽, SATA_3U接頭將會被禁用。
LAN	Intel i219V 10/ 100/ 1000 Mb/s 半/全雙功能,自動協商模式 Supports Super LAN Surge Protection
AUDIO CODEC	ALC1150 7.1 聲道,支援高解析音效輸出,Hi-Fi (前)
USB	6 x USB 3.2(Gen1)連接埠(後側面板4個連接埠,內建接頭支援2個連接埠) 6 x USB 2.0 連接埠(後側面板2個連接埠,內建接頭支援4個連接埠)
EXPANSION SLOT	2 x PCle 3.0 x1 插槽 1 x PCle 3.0 x16 插槽

REAR I/O	1 x PS/2 鍵盤連接埠 1 x PS/2 滑鼠連接埠 1 x DP 連接埠 1 x HDMI® 連接埠 1 x DVI-D 連接埠 4 x USB 3.2 (Gen1) 連接埠 2 x USB 2.0 P連接埠rts 1 x LAN 連接埠 3 x 音效連接埠
INTERNAL I/O	6 x SATA III 接頭(6Gb/s) 2 x USB 2.0 連接埠(每個接頭支援2個USB2.0連接埠) 1 x USB 3.2 (Gen1) 連接埠(每個接頭支援2個USB3.2(Gen1)連接埠) 1 x 電源插槽(8-Pin) 1 x 電源插槽(24-Pin) 1 x CPU 風扇接頭 1 x CPU水冷接頭 (CPU_OPT) 2 x 系统風扇接頭 1 x 前置面板接頭 1 x 前置面板接頭 1 x 前置音效接頭 1 x 市置音效接頭 1 x 序列埠接頭 1 x 下列埠接頭 1 x 下列 安全模組接頭 2 x LED 接頭(5V) 1 x LED 接頭(12V)
H/W MONITORING	CPU / System Temperature Monitoring CPU / System Fan Monitoring Smart / Manual CPU Fan Control CPU/DDR Voltage Monitoring
DIMENSION	Micro ATX Form Factor Dimension: 24.4cm x 24.4cm (W x L)
OS SUPPORT	Supports Windows 10 (64bit) / 11(64bit) *如有增加或減少任何OS支援,Biostar保留不預先通知的權利。
BUNDLE SOFTWARE	Racing GT Utility BullGuard
ACCESSORIES	4 x SATA Cable 1 x DVD Driver 1 x Quick Guide
FEATURES	

OVERVIEW



Intel B460 chipset

With the Intel® B460 chipset and the 10th generation Intel® Core™ processors, you will immediately be at the forefront of the battlefield, fueled by mind-blowing power and performance. From content creation to gaming, the Intel B460 chipset provides you with the power and performance you need.



Hi-Fi



A combination of exclusive hardware & software design including "ground-isolation circuit design", "an independent audio power", and "a built=on-board amplifier", with all these hardware features gives you the best audio quality and performance. As for software, we offer you a free bundle utility "Multi-Channel Calibration" which normally you'll find in high level sound systems; this feature allows you to auto detect your location; with a user friendly interface, you can easily adjust the volume of every speakers to make a well balanced surround sound. And of course, the built-on-board amplifier always gives you a super powerful sound comparing to other motherboards.



HD Audio

Provides high quality sound with minimal loss of audio fidelity.



Hi-Fi Ground

BIOSTAR Hi-Fi Ground (Golden Line) is noise-blocking multi-layer PCB design to isolates analog audio signals from digital sources. Unique PCB layout is ideal for exceptional clarity and high fidelity sound.



Hi-Fi AMP

The built-in amplifier can drive major high-end headphones with over 100dB loads and offer wide band-width, low noise, high slew rate and low distortion audio source from front panel I/O. Gaming enthusiasts can enjoy a fuller range of dynamic sound with crisper details and less distortion.



Smart Ear

Smart EAR is a windows-based audio utility which allows you to easily adjust system volume. With its user-friendly GUI, you can also increase or decrease impedance setting (Low/High Gain) to optimize your headphone performance. You can easily enjoy high-quality and awesome sound.



Hi-Fi Cap

Hi-Fi Cap delivers low noise, low distortion, and wide bandwidth to achieve the highest sound resolution and sound expansion. It ensures the most realistic sound effects to gaming enthusiasts.



HDMI® 4K2K

The new 4K2K resolution enables high-definition image display with four times the resolution of full HD, 4K2K display is faithfully express bright, highly detailed content that fills the entire screen with lifelike images. Connectivity with PCs via a single HDMI® cable for displaying 4K2K data.



DVI

DVI is better than VGA for LCD displays since it is digital while VGA is analog. For LCD displays, the picture is digitized pixel per pixel. Through DVI, the panel gets data for each pixel, so the picture generated in the Graphics device matches the pixels on the panel itself.



DisplayPort

DisplayPort is a digital display interface developed by the Video Electronics Standards Association (VESA). The interface is primarily used to connect a video source to a display device such as a computer monitor, though it can also be used to carry audio.



DX12

DirectX 12 introduces the next version of Direct3D, the graphics API at the heart of DirectX. Direct3D is one of the most critical pieces of a game or game engine, and we've redesigned it to be faster and more efficient than ever before.

Direct3D 12 enables richer scenes, more objects, and full utilization of modern GPU hardware.



Integrated HDMI® with HDCP

Onboard HDMI® connector allows full video & audio support. It has industry-leading high definition video quality.



Intel GbE LAN

Unlike ordinary LAN solution, Intel® GbE LAN offers fewer CPU resource consumption and more bandwidth stability. Thus, Intel® LAN is the best choice for performance seekers.



PCIe M.2

PCIe M.2 32Gb/s delivers the highest bandwidth and lower latency. It is 3 times faster compared with PCIe M.2 10Gb/s.



PCIe 3.0

PCIe 3.0 is the ubiquitous and general-purpose PCI Express I/O standard. At 8GT/s bit rate, the interconnect performance bandwidth is doubled over PCIe 2.0, while preserving compatibility with software and mechanical interfaces.



SATAIII 6Gbps

SATAIII 6Gbps provides a higher bandwidth to retrieve and transfer HD media. With this super speed data transfer, SATAIII allows an incredible data boost which is 2x faster than the SATA II.



Dual DDR4

The primary advantages of DDR4 over DDR3, include higher module density, lower voltage requirements, coupled with higher data transfer rate.



USB 3.2 Gen1 Type-A

USB 3.2 Gen1 delivers a compelling performance boosts and can be used to connect multiple devices without worrying about compatibility. It is capable of data transfer speeds up to 5Gbps and backwards compatible with all existing USB products.



Intel Optane Memory Ready

Intel Optane memory can accelerate traditional storage devices to reduce boot times and improve the overall performance, like a brand-new system. This revolutionary memory technology transforms your old PC to a performance monster without expensive SSD.



S-Hyper PWM

The S-Hyper PWM has DCR current sensing architecture and lossless characteristic, offering excellent precision in delivering stable power with 100% fixed voltage to ensure that critical components of the motherboard are under protected with the maximum performance and reliability.



Super Durable Solid Caps

The best quality solid state capacitors with ultra low ESR design, the Super Durable Solid Caps doubles the lifespan.



Iron Slot Protection

The exclusive Iron Slot Protection can reinforce PCI-E x16 slots to handle heavier graphics cards, prevent bending, and extend longevity of the slot, making the new-gen RACING Series much more robust.



Super Durable Inductor

Super Durable Inductor brings the benefits of higher current capacity, lower energy loss and better power stability.



M.2 Cooling Protection

M.2 heatsink features ultra-high cooling efficiency for protecting the M.2 SSD from thermal problems, extending the M.2 SSD lifespan for long-term usage and stable operation. To top it off, this cooling design makes the performance of certain M.2 (PCI-e 3.0x4) products most efficient even under high-temperature operating.



Super Anti-Surge Protection

BIOSTAR exclusive Anti-Surge design provides the best protection of board and extends the product life. Having the latest model of "Transient Voltage Suppressor" on- board can effectively protect the board circuit, reducing the shocks caused by ESD as well as other damages arising from overvoltage transients to enhance system durability.



ESD Protection

ESD (Electrostatic Discharge) is the major factor to destroy the PC by electrical overstress (EOS) condition. ESD occurred by PC users when touch any devices connect to a PC, which may result in damage to the motherboard or parts. ESD protection is designed to protect the motherboard and equipment from damage by EOS.



OC / OV / OH Protection

OC / OV / OH Protection design detects overvoltage conditions and prevents voltage surges from spreading in real time. It also actively cuts off the overvoltage supply to protect your system.



BullGuard Internet Security (90 days FREE trial)

BullGuard Internet Security comes with the broadest line-up of internet security features on the market, including: a cutting-edge dual Antivirus engine, Online Backup for your precious files, PC Tune Up to speed up your system, a Game Mode for a seamless gaming experience, Parental Control, Firewall, Safe Browsing and many more. Make the most of your digital life with Bullquard!



Armor Gear

The new Armor Gear, which offers more stability and durability, comes with I/O Armor to protect I/O interfaces from static electricity. It is equipped with full-color RGB LED light that users can use VIVID LED DJ to synchronize it and build your own color gaming lights.



VIVID LED DJ

New VIVID LED DJ with more customizability and options to control multiple RGB/ARGB LED lighting zones independently. Users can control color, speed and brightness for different modes at ease.



UEFI BIOS

Unified Extensible Firmware Interface (UEFI) is a brand new framework that provides a revolutionary interface. It is a modern clear and easy-to-use graphical user interface. The UEFI comes with a colorful easy-understand icons lead users into the setup layer directly.



EZ Mode

BIOSTAR EZ Mode makes everything as simple and efficient as possible. It has an attractive easy-to-use BIOS system interface that guides users to solve their problems with ease. It lays out the things which you often do in BIOS system to make the flow smooth and seamless.



BIO-Flasher

BIO-Flasher is a convenient BIOS update tool. Just launch this tool and put the BIOS on USB pen driver before entering the OS. You can update your BIOS with only a few clicks without preparing an additional floppy disk or other complicated flash utility.



Super Durable Box Header

Super Durable Box Header provides solid, secure and durable connections between motherboard and peripheral cables.



A.I FAN

With A.I FAN users can ensure that their gaming PC can maintain its performance while staying cool. According to different cooling needs and usage scenarios, users can control speed modes. Allows users to have more customizability of fan modes and automatically detects different temperatures to make fan operate at defined speed for optimal cooling performance.



LED ROCK ZONE

LED ROCK ZONE comes with the RGB 12V LED header and Digital 5V LED header which offer more colorful lighting options to DIY lovers. Adjusting the color of LED and changing system colors by VIVID LED DJ will make you fully enjoy the process of PC modding developing your personal style.



CPU OPT

BIOSTAR offers one more fan header which is called CPU OPT. Users can use it to connect any kind of water coolers for a liquid cooling system. Keep your computer stable and enjoy your machine at the utmost potential.



HDMI®

The terms HDMI® and HDMI® High-Definition Multimedia/Interface, and the HDMI® Logo are trademarks or registered trademarks of HDMI® Licensing Administrator, Inc. in the United States and other countries.

*The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!



